# Indiana's *Hardwood Ecosystem Experiment* Research Project



Scott Haulton,
Wildlife Specialist, Division of Forestry
IFSCC Meeting; January 25th, 2011



#### The Need for HEE

- Regional oak regeneration problems
- Impacts of forest management?
- T&E species and forest ecology
- Social, cultural impacts
- Need to address complex, controversial issues with locally derived, science-based information











#### Hardwood Ecosystem Experiment (HEE)

- Long-term, landscape scale experiment study of forest management and its impacts
- Yellowwood & Morgan-Monroe SFs
- DoF & Purdue major partners, researchers from several regional universities










#### **HEE Partnering Organizations and Agencies**

- Ball State University
- Drake University (Iowa)
- Indiana State University
- IDNR, Division of Forestry
- IDNR, Div. of Fish and Wildlife, Wildlife Diversity Section
- IDNR, Division of Parks and Reservoirs
- Indiana University of Pennsylvania
- Purdue University, Dept. of Entomology
- Purdue University, Dept. of Forestry and Natural Resources
- The Nature Conservancy in Indiana
- U.S. Forest Service



#### 9 Study Areas, 3 Treatments...


- Even-aged
  - Clearcut (10 ac)
  - 3-stage Shelterwood (10 ac)
- Uneven-aged
  - Group and single-tree selection
  - 1, 3, 5 acre openings
- Controls
  - No harvest



Management
Units = Buffer
& Cores

Core Research Area (200-250 acres)


Buffer Area (500-700 acres)



Management
Units = Buffer
& Cores


Core Research Area (200-250 acres)

Buffer Area (500-700 acres)






# **Even-age Management Units**





#### Uneven-age Management Units





#### **Primary Objectives**

- Develop even- and uneven-aged silvicultural systems that maintain oak-dominated forest communities and landscapes
- 2. Determine the impacts of these systems on diverse plant & animal communities
- 3. Determine the social and economic ramifications locally and regionally
- 4. Provide demonstration sites and develop novel educational materials to engage the public concerning forest management

#### HEE: The Harvests

FORESTRA

- Pre-treatment studies: 2006-2008
- \*\*Harvests: Fall 2008 Winter 2009
- Post-treatment studies: 2009...
- 20 year re-entry



Morgan-Monroe SF
"Main Road"
Clearcut

First growing season after harvest (2009)



#### HEE: The Harvests



Yellowwood SF Clearcut before TSI



#### Bats (ISU)

- 2006-09: 472 bats of eight species captured, including 18 Indiana bats
- No differences in bat community across years
- Acoustic sampling in each unit
- More activity detected after harvests
- All but one species were detected in canopy gaps the most, followed by forest edges, corridors, then interiors







# Rattlesnakes & Box Turtles (Purdue)

- 38 snakes and 43 turtles radiotracked (2007-10)
- No indication that timber harvests are affecting home range or habitat use
- Turtles in some openings year round
- Turtles prefer opening edges?







#### Small Mammals (Purdue)

- 5,703 captures of 7 species from 2007-09
- Pre-treatment populations similar across treatment areas









#### Forest Salamanders (Purdue)

- 14K captures of 9 species in 2007-09
- Eastern redback salamander 64% of captures
- · Avg captures per sampling occasion:

|            | Pre-Tx | Post-Tx |
|------------|--------|---------|
| Even-age   | 9.1    | 9.8     |
| Uneven-age | 8.9    | 7.3     |
| Control    | 11.7   | 8.8     |
| Total      | 9.3    | 8.7     |







# Wood-boring and longhorned beetles (Purdue)

- · 2006-09: 4249 individuals, representing 104 species
- · 2010: 120 species
- Increases in abundance and species richness post-harvest
- Pest species more abundant after harvest, other changes in dominance







#### Forest Moths (Drake University)

· 3 unit intensive trap sample (2007 & 2009)



|             | Pre-Tx | Post-Tx | Total  |
|-------------|--------|---------|--------|
| Individuals | 11,572 | 6,234   | 17,806 |
| Species     | 278    | 210     | 314    |

Species richness *significantly lower* in harvest areas than controls



#### Cerulean Warbler (Ball State Univ.)

- · 353 singing males recorded (2007-2009)
- No change in abundance or territory size pre- to post-harvest
- Do not seem to be avoiding the harvested areas
- Smaller territories after even-age harvest?
- Territories associated with small canopy gaps?
- Territories shifting toward harvests?







# Breeding Season Songbirds: 2006-2010

#### Pre-Harvest Post-Harvest

| Avg. Individuals | 6512 | 8222 | + 26.2% |
|------------------|------|------|---------|
| Avg. Species     | 60   | 67.5 | + 12.5% |









# Songbirds: 2010 Results

Avg Birds

Dor Doint

|         | Species | Per Politi |
|---------|---------|------------|
| Even    | 62      | 30.5       |
| Uneven  | 69      | 31.7       |
| Control | 45      | 23.8       |









# Songbirds: 2010 Results

| SPECIES | EVEN<br>Per point | UNEVEN<br>Per point | CONTROL<br>Per point |
|---------|-------------------|---------------------|----------------------|
| REVI    | 2.96              | 2.95                | 2.93                 |
| ACFL    | 2.54              | 1.99                | 2.56                 |
| WEWA    | 1.85              | 1.00                | 1.68                 |
| ETTI    | 1.90              | 1.81                | 1.85                 |
| EAWP    | 1.57              | 1.78                | 1.62                 |
| HOWA    | 1.23              | 1.70                | 1.08                 |
| WOTH    | 1.40              | 1.22                | 0.97                 |
| OVEN    | 1.50              | 0.98                | 1.25                 |
| ВНСО    | 1.26              | 1.13                | 1.37                 |
| SCTA    | 0.89              | 1.03                | 1.26                 |



#### Deer Herbivory Impacts Study


- Exclosures 70' x 70', approximately 7.5 feet tall
- Cedar posts and heavy-duty plastic mesh
- Fenced plots paired with open plots





#### Deer Herbivory Impacts Study


- 32 exclosures (44 eventually)
- 4 sets at clearcut sites (4)...





#### Deer Herbivory Impacts Study

- 32 exclosures (44 eventually)
- 4 sets at **shelterwood sites (4)**...




Interior (1st stage, understory removal)



#### Deer Herbivory Impacts Study

- 32 exclosures (44 eventually)
- 3 sets at Uneven-age sites (4)...





#### Deer Herbivory Impacts Study

- 2 growing seasons after exclosures built
- · No data collected yet, but some differences...



#### HEE: Other Studies...More to Come!



#### Other Studies...

- Mast Production and Removal (Purdue)
- Barred and Screech Owl Survey (Purdue et al.)
- Non-breeding Season Bird Survey (Purdue)
- Ruffed Grouse Drumming Survey (DoF and Purdue)










# HEE: Getting the Word Out



#### Getting the word out...

- Publications, thesises, and dissertations
- Pre-treatment anthology: USFS GTR, 2012
- Public programs, field days, citizen research
- Professional conferences and field trips
- Much more to come...







#### For more information:

# http://www.heeforeststudy.org/

